ROAM LR

Add professional, licence-free remote control to projects of any size with this long-range device.













Range Up to 3.2 km

Type Remote

- Covers up to 3.2 km line of sight with licence-free LoRa® radio technology (915 MHz)
- Compatibility with Hunter X2™, Pro-C®, HPC, HCC, ICC2, MCC and ACC2 Controllers enables remote management for projects of any size.
- Set manual run times from 1 to 90 minutes — without overwriting regular automatic programming

MODELS

MODEL	DESCRIPTION	ADD TO LIST
ROAM-LR-KIT	ROAM LR Remote Kit, includes transmitter, receiver, SmartPort Wiring Harness, 4 x AAA batteries, and plastic carrying case	+
ROAM-LR-R	ROAM-LR Receiver Only	+
ROAM-LR-TR	ROAM-LR Transmitter Only	+

Showing 1 - 3 of 3

USER-INSTALLED OPTIONS

User-Installed Options

Contact your local distributor for product availability and ordering.

SPECIFICATIONS

Remote Specification

- Range: 3.2 km line of sight from transmitter to receiver
- Transmitter power source: 4 AAA batteries (included)
- Receiver source: 24 VAC, 0.10 A
- System operating frequency: 915 MHz
- SmartPort® Wiring Harness installation: 15.2 m from controller

- Approvals: IP55 rating for transmitter and receiver (when installed on controller)
- FCC approved (not available in EU and some other countries; check local regulations)

Warranty period: 3 years

Download Product Spec Sheet

Download Written Specifications

VIDEOS



Hunter ROAM LR Commercial Irrigation Remote

The rugged ROAM LR Remote offers a line-of-sight range up to 2 miles with license-free LoRa™ radio technology.

ALL PRODUCT VIDEOS

FEATURES

The ROAM LR Remote is the ultimate tool for irrigation pros who manage large-scale sites. Offering professional, licence-free control up to 3.2 km, this long-range remote eliminates the need to visit most SmartPort® enabled Hunter controllers for maintenance, ensuring seamless troubleshooting and seasonal upkeep without extra steps. Rugged, reliable, and ready to travel between jobs, the ROAM LR is designed to cover more ground — so you don't have to.

Key Benefits

Compatibility with Hunter X2™, Pro-C®, HPC, HCC, ICC2, ACC2, and legacy ACC and I-Core™ Controllers to enable remote management for projects of any size

128 available programmable addresses prevent cross-communication between multiple remotes within close proximity of each other

Manual operation up to 240 stations provides flexibility for larger projects

Achieve a 3.2 km line of site range with licence-free 915 MHz LoRa radio technology

Manually start individual stations or programs for quick maintenance checks and troubleshooting

Programmable run times from 1 to 90 minutes, which will not overwrite regular automatic programming

Rugged and water-resistant transmitter with simple push-button operation and a battery-life indicator


CHARTS

ROAM LR Models

DOCUMENTS

Select Type

All Documents | Manuals | Marketing | Specifications | Replacement Parts




ROAM LR Spec Sheet
Download



Roam LR Written Specifications
Download



ROAM LR Owner's Manual
Download



ROAM LR Replacement Parts List
Download



ROAM LR Product Cutsheet
Select Language

Show all documents